Refine Search

Search Results -

Terms	Documents
L8 not L9	23

Database:
US Pre-Grant Publication Full-Text Database
US Patents Full-Text Database
US OCR Full-Text Database
EPO Abstracts Database
JPO Abstracts Database
Derwent World Patents Index
IBM Technical Disclosure Bulletins

Search: L10

Refine Search

Recall Text   Clear   Interrupt

Search History

DATE: Tuesday, February 14, 2006   Printable Copy   Create Case

Set Name side by side	Query	Hit Count	Set Name result set
DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=NO; OP=ADJ			
L10	l8 not l9	23	L10
L9	l3 and L8	3	L9
L8	(re$1order$4 or re$1organiz$6) with L7	26	L8
L7	hash$5 near3 table	6553	L7
L6	l1 and l3 and L5	9	L6
L5	(re$1order$4 or re$1organiz$6) with L4	155	L5
L4	(map$4 or translat$6 or conver$6) near2 table	59751	L4
L3	(buffer$4 or queu$4) with (access$2 or request$2 or transcation$2 or command$2)	103540	L3
L2	(re$1order$4 or re$1organiz$6) with (access$2 or request$2 or transcation$2 or command$2)	12241	L2
L1	arbit$7	491020	L1

END OF SEARCH HISTORY

Refine Search

Search Results -

Terms	Documents
L1 and L20	7

Database:

US Pre-Grant Publication Full-Text Database
US Patents Full-Text Database
US OCR Full-Text Database
EPO Abstracts Database
JPO Abstracts Database
Derwent World Patents Index
IBM Technical Disclosure Bulletins

Search: L21

Refine Search

Recall Text Clear Interrupt

Search History

DATE: Tuesday, February 14, 2006   Printable Copy   Create Case

Set Name side by side	Query	Hit Count	Set Name result set
	DB=USPT; PLUR=NO; OP=ADJ		
L21	l1 and L20	7	L21
L20	l3 and L19	13	L20
L19	l17 and L18	13	L19
L18	(re$1order$4 or re$1organiz$6)	94184	L18
L17	l11 or l14 or l16	55	L17
	DB=PGPB,USPT; PLUR=NO; OP=ADJ		
L16	('5058051'| '5060145'| '5222223'| '5280597'| '5323489'| '5379379'| '5546546'| '5586282'| '5617559'| '5619730'| '5680577'| '5696910'| '5732236'| '5822772'| '5835962'| '5873119'| '5893136'| '5903916'| '5920898'| '5940848'| '5983325'| '6052756')![pn]	22	L16
	DB=USPT,PGPB; PLUR=NO; OP=ADJ		
L15	('5058051'| '5060145'| '5222223'| '5280597'| '5323489'| '5379379'| '5546546'| '5586282'| '5617559'| '5619730'| '5680577'| '5696910'| '5732236'| '5822772'|	22	L15

'5835962'| '5873119'| '5893136'| '5903916'| '5920898'| '5940848'| '5983325'| '6052756')![pn]

DB=PGPB,USPT; PLUR=NO; OP=ADJ

L14	('5265235'| '5325525'| '5638534'| '5655096'| '5974571'| '5990913'| '6055598'| '6098168'| '6122265'| '6122727'| '6182177'| '6212622'| '6279064')![pn]	13	L14

DB=USPT,PGPB; PLUR=NO; OP=ADJ

L13	('5265235'| '5325525'| '5638534'| '5655096'| '5974571'| '5990913'| '6055598'| '6098168'| '6122265'| '6122727'| '6182177'| '6212622'| '6279064')![pn]	13	L13

DB=USPT; PLUR=NO; OP=ADJ

L12	(6212611 or 6510474).pn.	2	L12
L11	6212611 or 6510474	20	L11

DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=NO; OP=ADJ

L10	l8 not l9	23	L10
L9	l3 and L8	3	L9
L8	(re$1order$4 or re$1organiz$6) with L7	26	L8
L7	hash$5 near3 table	6553	L7
L6	l1 and l3 and L5	9	L6
L5	(re$1order$4 or re$1organiz$6) with L4	155	L5
L4	(map$4 or translat$6 or conver$6) near2 table	59751	L4
L3	(buffer$4 or queu$4) with (access$2 or request$2 or transcation$2 or command$2)	103540	L3
L2	(re$1order$4 or re$1organiz$6) with (access$2 or request$2 or transcation$2 or command$2)	12241	L2
L1	arbit$7	491020	L1

END OF SEARCH HISTORY

Refine Search

Search Results -

Terms	Documents
L9 and L23	11

Database:

```
US Pre-Grant Publication Full-Text Database
US Patents Full-Text Database
US OCR Full-Text Database
EPO Abstracts Database
JPO Abstracts Database
Derwent World Patents Index
IBM Technical Disclosure Bulletins
```

Search:

L24

Refine Search

Recall Text   Clear   Interrupt

Search History

DATE: Tuesday, February 14, 2006   Printable Copy   Create Case

Set Name side by side	Query	Hit Count	Set Name result set
	DB=USPT; PLUR=NO; OP=ADJ		
L24	l9 and L23	11	L24
L23	l11 and L22	4704	L23
L22	(buffer$4 or queu$5) with (transaction$2 or command$2 or request$2)	36763	L22
L21	l9 and L20	2	L21
L20	(map$4 or translat$6 or conver$6) same l11	15014	L20
L19	L18 not l17	2	L19
L18	(map$4 or translat$6 or conver$6) and l9 and l11 and l16	5	L18
L17	l9 and l11 and l13 and L16	3	L17
L16	arbit$7	204251	L16
L15	l9 and L14	1	L15
L14	l11 same L13	4546	L14
L13	table	905686	L13
L12	l9 and l10 and L11	0	L12

L11	re$1order$4	89067	L11
L10	hash$4 near2 table	2879	L10
L9	l1 or L8	55	L9
L8	6510474 or 6212611	20	L8
L7	l1 or l4 or L6	35	L7

DB=PGPB,USPT; PLUR=NO; OP=ADJ

L6	('5058051'| '5060145'| '5222223'| '5280597'| '5323489'| '5379379'| '5546546'| '5586282'| '5617559'| '5619730'| '5680577'| '5696910'| '5732236'| '5822772'| '5835962'| '5873119'| '5893136'| '5903916'| '5920898'| '5940848'| '5983325'| '6052756')![pn]	22	L6

DB=USPT,PGPB; PLUR=NO; OP=ADJ

L5	('5058051'| '5060145'| '5222223'| '5280597'| '5323489'| '5379379'| '5546546'| '5586282'| '5617559'| '5619730'| '5680577'| '5696910'| '5732236'| '5822772'| '5835962'| '5873119'| '5893136'| '5903916'| '5920898'| '5940848'| '5983325'| '6052756')![pn]	22	L5

DB=PGPB,USPT; PLUR=NO; OP=ADJ

L4	('5265235'| '5325525'| '5638534'| '5655096'| '5974571'| '5990913'| '6055598'| '6098168'| '6122265'| '6122727'| '6182177'| '6212622'| '6279064')![pn]	13	L4

DB=USPT,PGPB; PLUR=NO; OP=ADJ

L3	('5265235'| '5325525'| '5638534'| '5655096'| '5974571'| '5990913'| '6055598'| '6098168'| '6122265'| '6122727'| '6182177'| '6212622'| '6279064')![pn]	13	L3

DB=USPT; PLUR=NO; OP=ADJ

L2	(6510474 or 6212611).pn.	2	L2
L1	(5058051 or 5060145 or 5222223 or 5280597 or 5323489 or 5379379 or 5546546 or 5586282 or 5617559 or 5619730 or 5680577 or 5696910 or 5732236 or 5822772 or 5835962 or 5873119 or 5893136 or 5903916 or 5920898 or 5940848 or 5983325 or 6052756 or 5265235 or 5325525 or 5638534 or 5655096 or 5974571 or 5990913 or 6055598 or 6098168 or 6122265 or 6122727 or 6182177 or 6212622 or 6279064).pn.	35	L1

END OF SEARCH HISTORY

Freeform Search

Database:

| US Pre-Grant Publication Full-Text Database |
| US Patents Full-Text Database |
| US OCR Full-Text Database |
| EPO Abstracts Database |
| JPO Abstracts Database |
| Derwent World Patents Index |
| IBM Technical Disclosure Bulletins |

Term: 122 and L28

Display: 15 Documents in **Display Format:** CIT,AB **Starting with Number** 1

Generate: ○ Hit List ● Hit Count ○ Side by Side ○ Image

Search   Clear   Interrupt

Search History

DATE: Tuesday, February 14, 2006   Printable Copy   Create Case

Set Name side by side	Query	Hit Count	Set Name result set
	DB=USPT; PLUR=NO; OP=ADJ		
L29	l22 and L28	10	L29
L28	l11 same L26	22	L28
L27	l11 and L26	392	L27
L26	L25 same (map$4 or translat$6 or conver$6)	3721	L26
L25	count$5 with (transcation$2 or request$2 or command$2)	27612	L25
L24	l9 and L23	11	L24
L23	l11 and L22	4704	L23
L22	(buffer$4 or queu$5) with (transaction$2 or command$2 or request$2)	36763	L22
L21	l9 and L20	2	L21
L20	(map$4 or translat$6 or conver$6) same l11	15014	L20
L19	L18 not l17	2	L19
L18	(map$4 or translat$6 or conver$6) and l9 and l11 and l16	5	L18
L17	l9 and l11 and l13 and L16	3	L17
L16	arbit$7	204251	L16
L15	l9 and L14	1	L15

L14	lll same L13	4546	L14
L13	table	905686	L13
L12	l9 and l10 and L11	0	L12
L11	re$1order$4	89067	L11
L10	hash$4 near2 table	2879	L10
L9	ll or L8	55	L9
L8	6510474 or 6212611	20	L8
L7	ll or l4 or L6	35	L7

DB=PGPB,USPT; PLUR=NO; OP=ADJ

| L6 | ('5058051'\| '5060145'\| '5222223'\| '5280597'\| '5323489'\| '5379379'\| '5546546'\| '5586282'\| '5617559'\| '5619730'\| '5680577'\| '5696910'\| '5732236'\| '5822772'\| '5835962'\| '5873119'\| '5893136'\| '5903916'\| '5920898'\| '5940848'\| '5983325'\| '6052756')![pn] | 22 | L6 |

DB=USPT,PGPB; PLUR=NO; OP=ADJ

| L5 | ('5058051'\| '5060145'\| '5222223'\| '5280597'\| '5323489'\| '5379379'\| '5546546'\| '5586282'\| '5617559'\| '5619730'\| '5680577'\| '5696910'\| '5732236'\| '5822772'\| '5835962'\| '5873119'\| '5893136'\| '5903916'\| '5920898'\| '5940848'\| '5983325'\| '6052756')![pn] | 22 | L5 |

DB=PGPB,USPT; PLUR=NO; OP=ADJ

| L4 | ('5265235'\| '5325525'\| '5638534'\| '5655096'\| '5974571'\| '5990913'\| '6055598'\| '6098168'\| '6122265'\| '6122727'\| '6182177'\| '6212622'\| '6279064')![pn] | 13 | L4 |

DB=USPT,PGPB; PLUR=NO; OP=ADJ

| L3 | ('5265235'\| '5325525'\| '5638534'\| '5655096'\| '5974571'\| '5990913'\| '6055598'\| '6098168'\| '6122265'\| '6122727'\| '6182177'\| '6212622'\| '6279064')![pn] | 13 | L3 |

DB=USPT; PLUR=NO; OP=ADJ

| L2 | (6510474 or 6212611).pn. | 2 | L2 |

| L1 | (5058051 or 5060145 or 5222223 or 5280597 or 5323489 or 5379379 or 5546546 or 5586282 or 5617559 or 5619730 or 5680577 or 5696910 or 5732236 or 5822772 or 5835962 or 5873119 or 5893136 or 5903916 or 5920898 or 5940848 or 5983325 or 6052756 or 5265235 or 5325525 or 5638534 or 5655096 or 5974571 or 5990913 or 6055598 or 6098168 or 6122265 or 6122727 or 6182177 or 6212622 or 6279064).pn. | 35 | L1 |

END OF SEARCH HISTORY

.